


a.) Amendment to the Claims:

Claim 1 (Cancelled).

2. (Currently Amended) A filter of an electronic display device, said filter comprising a squarylium compound represented by general formula (II):



[wherein wherein

R¹⁵ and R¹⁷, which may be the same or different, each independently represent a hydrogen atom, a halogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, a nitro group, a cyano group, a hydroxyl group, a substituted or unsubstituted amino group, or a substituted or unsubstituted heterocyclic group;

R¹⁶ and R¹⁸, which may be the same or different, independently represent an alkoxyalkoxy-substituted alkyl group; each represent a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted aralkyl group, or a substituted or unsubstituted heterocyclic group;

R^{19} and R^{20} , which may be the same or different, each independently represent a halogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group, a nitro group, a cyano group, a hydroxyl group, a substituted or unsubstituted amino group, or a substituted or unsubstituted heterocyclic group;

m represents an integer of 0 to 4, wherein, when m is 2 to 4, R^{19} 's may be the same or different, respectively; and

n represents an integer of 0 to 4, wherein, when n is 2 to 4, R^{20} 's may be the same or different, respectively} respectively.

Claim 3 (Cancelled).

4. (Currently Amended) The filter of an electronic display device according to ~~any one of Claims 1 to 3~~ claim 3, further comprising a binder.

Claim 5 (Cancelled).

6. (New) The filter according to claims 2 or 4, wherein

the alkyl group and alky moieties in the alkoxy, alkanoyl alkoxy carbonyl groups is linear or branched C₁-C₆ alkyl, or C₃-C₈ cyclic alkyl,

the aralkyl group is C₇-C₁₅,

the heterocycle in the heterocyclic group is (i) a 5- or 6-membered monocyclic aromatic heterocycle having at least one atom selected from the group consisting of nitrogen, oxygen and sulfur, or a bicyclic or tricyclic condensed aromatic heterocycle in which 3- to 8-membered rings are condensed having at least one atom selected from the group consisting of nitrogen, oxygen or sulfur, or (ii) a 5- or 6-membered monocyclic aliphatic heterocycle having at least one atom selected from the group consisting of nitrogen, oxygen and sulfur, or a bicyclic or tricyclic condensed aliphatic heterocycle in which 3- to 8-membered rings are condensed, having at least one atom selected from the group consisting of nitrogen, oxygen and sulfur,

substituents of the alkyl group, the alkoxy group, the alkanoyl group and the alkoxy carbonyl group are 1-3 substituents independently selected from the group consisting of hydroxyl, carboxyl, halogen, alkoxy and alkoxyalkoxy, and

substituents of the aralkyl group, the aryl group and the heterocyclic group are 1 to 5 substituents independently selected from the group consisting of hydroxyl, carboxyl, halogen, alkyl, alkoxy, nitro, and amino optionally substituted with one or two alkyl groups.